F. R. Fosberg

RECORD K3515

F. R. Fosberg Collection number shook Nos. 19400 - 18199 Sept. 1938 - May 1941

The first set of collections 15800-16635, pp. 1-30 of this book, are in the herdanium of the University of Pennsylvania.

Beginning with \$9.31, no 10036 they are in the horsainen of the mational arboratum

.....

Collection and Field Note Book				
No. 6		PENNSYLVANIA	Pages	
(Sept. 2, 1958 - May 25, 1941) (15800 - 18199)		Mall Pond, Trout Run, Buttonwood, Beech- Maple Woods, Lycoming Co. 16491-16581 Morris, Harrison State Forest Park, Wellsboro, Tioga Co 16582-16635	25-28 29-30	- K 100
PENNSYLVANIA North Mountain, Cherry Bun, Sullivan Co. Painter Bun	Pages 1-6	Virginia Highlands, Arlington Co	31 32	
NEW YORK	6-8 8-9	Hunting Creek, Alexandria 16682-16698 Gum Springs, Fairfax Co 16699-16708 PENNSYLVANIA Wallingford, Delaware Co 16709	32-33	
Garnerville, Rockland Co. 16042- 16085 . Hondaxe Mt., Adirondack Mts., Little Tupper Lake, Mt. McIntyre, Syranuse, Onondaga Co	9-11	Virginia Highlands, Arlington Co Dunnsville, Essex Co 16729-16739	35-34 34	-9
NEW JERSEY	13-15	Waterview, Rappahannock R., Setuary near Urbanna, Middlesex Co 16740-16769 Head of Dogue Creek Estuary, Hunting Creek, Alexandria, Fairfax Co	34-35 36-37	
Cedar Lake, Gloucester Co., Green Bank, Surlington Co., Wells Island, Ocean Co., Tuckerton, Ocean Co., 16208-16244 PENNSYLVANIA	15-16	Virginia Nighlands, Arlington Co	37	
Birchrunville, Chester Co. 16246-16315 McClure, Snyder Co., Beavertown, Paxton- ville slong Middle Creek, Centerville, Snyder Co.	17-19	Fairview, Glenloch, Grenloch, Bell Lake, Gloucester Co 16801-16835	37-39	-
River, New Columbia and Union Counties, White Deer Ridge 16442-16490	24-25	Chain Bridge, Potomec Niver 16836-16851	39	rut

....2....

24-25

no.6	2	
	Pages	Pages
NEW JERSEY		Alexandria, Va
Malaga Luke, Indian Branch of Scotland Run. Gloucester Co	39-40	MARYLAND Takoma Park
Aurora Hills, Arlington,16867-16888	40-41	Virginia Highlands, Davis Highway, Aurora H., Arlington Co
MARYLAND Clarksburg, Montgomery Co 16889-16892	41	MARYLAND Patuxent Refuge, Beltsville 17097-17121 53-54
VIRGINIA Virginin Highland, Arlington Co., Old Rag Mt.,		VIRGINIA Virginia Highlands, Arlington Co.,
NEW JERSEY	11-43	Thornton River near Buck Hollow Trail, Rappahannock Co 17122-17159 54-56 Focosin Shelter, Shenandoeh Nat. Park,
S. of Cecil, near Great Egg Harbor River, Gloucester Co. ,, 16937-16945	43	Greene Co
Aurora Hills, Virgina Wighlands, Glebe Road, Arlington Co	44-45	Mt., Greene Co 17193-17231 58-59 Spitler Knoll Overlook, Mawkabill Mt., AppragamaxTman Applachian Trail,
MARYLAND	399	Nirginia Highlands, Arlington Co
Priest Bridge, Lenham, Prince Genree Co.	145	Front Royal, Warren Co., Hogback Mt. Overlook
VIRGINIA	46-	Juremys Run, Crescent Rocks, Page Co
Virginia Highlands, Arlington Co., Shenandonh Nat'l Park, Blue Ridge Mts., Fouquier Co.,		Haukabill Gup, Big Meadows Comp Ground, Madison Co 17342-17351 68-70
Hog Camp Hollow, Blue Ridge Mts, Madison Co.		Sandy Bottom Overlook, Rockingham Co. 17352-17360 70-71 Kawkabill Creek above Tvy Greek,
Arlington Co 17059-17081	47-90 50-52	Greene Co 17361-17378 72-73

wit

*** 3

Vol. No. 6	3		
VIRGINIA	Pages		
Brown Mt. Overlook, Skyline Drive, Rockingham Co.		NORTH CAROLINA Fages	
Black Rock Gap and Summit, Truyfoot Mt, " " "	74-83	Hutteras Inlet Coast Guard Station, Hyde Co., Ocracoke Island,	-
PENNSYLVANIA		****************** 17882-17943 142-151	
Nottingham, Chester Co 17446-17453	82-83	Hatteras Island, Dare Co., Rregardalet,	73
MARYLAND		Pee Island 17944-15001 152-161 east of Subbury, Gates Co. 18002-18017 162-163	
Susquehanna River, below Conowingo Dam, Cecil Co.	ni 05	VIRGINIA	
	84-87	a. of Suffolk, Mansemond Co., near	
VIRGINIA		Windsor, Isle of Wight Co., near Zuni	
Sleepy Hollow, Fairfax Co. 17470	86-87	Sleepy Hollow, Fairfax Co. 18065-18067 179-171	
WXXXXXXXX		Virginia Mighlands, Arlington Co	
Potomac River below Hunting Creek 17471-17479	86-89	Sleepy Hollow, Fairfax Co., Holmes Rum,	
weetnampton, nearioo Go., Univ. of Richmond Compus		18075-18119 172-185	
of the date ourgens Station. District date he	88-91.	Virginia Highlands, Arlington Co., Fort Buffalo, Fairfax Co., Sleepy	
Near Weianoke, Charles City Co	90-93	Hollow 18120-18151 184-191	
"Tettington, " " 17521-17546 1% ml. n. of Surrey, Surrey Co, 17547-17591	92-95	MARYLAND	
THE PARTICIPANT OF THE PROPERTY OF THE PARTY	96-101	Mills above Mountville, Catootin "Mts?	
8 mi. w. of Gretna, along Pigg River, Fitt- sylvania Co 17595-17631		Frederick Co., Chevy Chase, near Williams Lane 18152-18186 190-195	
NORTH CAROLINA	102-109		
		VINGINIA	
Hydo Creek, Caswell Co 17632-17652	108-111	Fairfax Co 18187-18199 194-197	
The state of the police of the party of the			
	116-121		
Hyde Co., Mann's Harbor, Dare Co., Manteo,			
Total was propon in late Dan Talawa Done			15
Island, Buxton Landing, Patron Batterns			5
	120-143		linui

abburistion

dot 9 710 = S. F. A. Ratio

WRYA - W.R. man.

Romal - 1 m Varge

COS. 1 F.J. Harman

7. R. Tosberg Glectron number book Mrs. 19800 - 18199 Sept. 1938 - May 1941

The first set of collections 15800-16635, pp. 1-30 of this book, are in the herbarium of the University of Pannsylvania.

Beginning with p. 31, mo. 16036 they are in the harbarium of the Mational arboretum.

STATIONERS

52nd below Woman

Fluidelights

ALL Bales

Penneyennia Topof Math Mountain land ways - in 45 is dispersion assumption of private there

Pennsylvania Topof Morth Mountain for of ridge s. w. Cherylan, dullivan county dept 2-2 1939 15 800 Solidago uniliquelata Osmortuza was the Clayton 2 Scirpus atrovirens 3 Uster prevanthoides 4 Gratiola neglecta 5 Dryopteres mospinulosa 6 Carex Caileys? 7 Uster accuminata 8 deporter canadensis 9 Dryopterio novelnacensis nds) 10 Chrisphalia margaretacea 11 arter acuminata 12 Mypericum meetilum 13. Kyropodium lucidulum complete in and around the sections) Sept. 3 158 H Cerastum vulgatum 15 uster 227R.7. 16 Dryoptens novelnacenies 17 Lycopus uniflorus 18 Drybpterio aprinerlosa va intermedia 19 Prunus plnnsylvanica 20 Dolidago migora ait. all Solidago grammifolia 22 wer spication a3 Impatiens beflora 24 Cler rubrum 45 dectuce spicata 46 Scerpers atrocinctus 27 Trunella vulgario 28 Dogoption Donnstarollis punctilobula

Vennsylvania 6 Pennsylvania 15929 Caref radiata 15 959 Ridens frondres 30 Maianthimum canadense 60 Hypericum perforatum 31 Lycopodium complemation 61 Holygomen Keisicana 32 Muhlenbergia Schnieberi 6d Seturia lutercens 3) Solidago grashenifolia 63 Eragrostis 34 Polygonum persicaria 64 Hypericum mae princtatum dam 35 Melbour aurantiacum is tolygonum bydropiper & 36 athyrum angustum (Willel) Fresh. 66 Mollingo verticulata 37 Boltycheum directur 67 Digitaria Ischaemum 3x Viola rostrata 68 Eliphorbia 39 Solidago rugo sa 69 amaranthus graccizans 40 Verlena unterifolia 70 Euphorbia nutana A Croclea rensibilis 71 dobelen inflata 12 Sambucus Canddenses 72 acalypha virginia L 13 Minarda didymait 73 Sapharea officinalis 44 Caref Surida 45 Polygonum Rydropiper 74 Eupatorum rugozum Hout 75 after laevin 46 Poliggmum sagettatum 76 galeopsis tetralit 47 De Lentellario lateriflora 11 Nederma pulgeride 48 Drygsteres novebracencis 78 Sambueus Carladencie 49 Lobelie inflata 79 Spoulder Princem capillare West hand Fishing Creek, 14 mile alove Centrals to theperious mulilum 81 Odlygonin pennsylvanicum 82 Dolidago gran injour apen pebble flats along stream. 50 Muhlenbergia mericana 83 Lycophia 84 Kanum Chicamara 5 Ilbristeda dichotoma 32 achilles millefoliam 80 lircaea internedia 86 Stellaria media 63 Cenothera brennist 87 Verbena untinsfolium Ellimbrosea artemyfolia 88 Epilobrum densum 33 Karnoum Clandestenum 89 Enputoreum perfoliatum vas. 36 Erigeron ramosus 40 Polygonum sagitatum 57 Potentilla norvegica var. hirsuta 41 Panicum Lindheimen var, facciontatus 58 peles otto-alus 42 Stellaria uliginosa

Pennsylvania Pennsylvania - york 15993 Pelea Journila 16022 acter prenanthaides 94 Viola 23 Agrumentus acres 95 Solidays memoralis 24 Ryperroum mutilum 96 Squiddly bicolor 25 lister encorder 97 Verontea Officinales 26. Speraen latifolia 98 Erechteles hunaufilm 27 Clemates werticillais 99 Erigeron Canadensis 28 amphicarpa Viteberr 16000 afalio europaea 29 Muhlenbergia Schrieberi Cerastum vulgatum 30 dappula ringlinica 2 lester novi - belgii 31 dijurpodum complanatur 32 Linopalium bulledulier (Shaded roadside, flat gulch bottom 33 Lindera Benjoin (1) Blime 3 later divarientis 34 Mimulud rengens 4 Caref Swannin 35 Lycopedum obscirum v. dendroideum 5 agrostis perennans 36 Lycopodown claintum Michella repens 31 Scerpus eriophones 38 Tovara viginiana Bog 12 me. L. S. L. of Sugarlouf School. 39 Chempodeum album 7 Portulaca obracea tof 1830ft Sept 5 40 Echerochloa Crusquee 8 ynaphalum jurpuren 9 Chrispoplenum 10 Polygonum punctatur Il Carthamine pennsylvanica 12 Chelone glatra garnewille, Rockland Co 17 7, lept 12, 1418 13 Spirarothis cenna 42 Polygonum Aydropipe H Uster lateriflower 43 Polygonum Alaicain 15 aster puniceus 16 Gentiana andreweis 45 Galum circums 17 Graphalium poly obtwarfolium 116 Colidage caeseus escor L. 18 Hydhocotyle americana 47 acter olivarisatus 19 Chrex leptalia no Copetio trifolia L. Weed festeles y roadsides meandwellings 31 Mayroto acumenata 43 aster executes

12 new york Men your - Pennaylvania. 13 mt. melatyre, trailfrom Hart dake, 16130 almus crispa 131 Calamagnostic canadense 16104 I phagnum 05 Nemobranthers mucmata (1) 7-el. Lyracure, Onundaga to. Vet. 7,1933 Do Cernus canadenses Weedy vacant lots. 07 Unaphalis marquitara 32 aster normanger 98 Linnaca Greatist. von dimericana (From Roll) 17 Lolidago canadenses 09 Chrisgener hispitula 10 Coptes trifolia 34 aster Gaaniculaties 12 abies balsamig (Comes 36 Jolium 37 acter cordifolius 17 Lolidago canadensis 14 Ester bolder, acrophy Vine 39 axter nordbelgie 40 folidago nemorate Mit MeIntyre, at and near summit 41 acter - pariculation Oct. 2 1938 12 anter novable ge Truly patches in crowners and depensions between rocks at timber line and about min. r. Birchmoville, a of French Creck, Chester Co. Oct. 1546, 1538 15 Vascinium uliginorum 43 Fremanthes trifoliolatus 16 Vaccinium oxyerceus 44 Pachmeria eylindica 17 Orapencia lafeponica 45 aste, puniclus 13 Rycopodium idago? 46 Lobelia apphilition 19 aheraria graenlandica 10 Potentilla tridentata 17 Castanea dentata 4 Ledum goenlandieum 48 Cassia nietitana 49 Trifolium procumpens 17 Solidago Cutlen 33 Empethem nigrum It solidage gramingely 31 Lobelia linfata 24 Kalmia polifolia 97 - perus strigory 25 Rhododendron lapponieum Deida spranal 54 uphow in mutans Lang. 27 falix una-unsi 55 Echinochlas crusquelle 18 alnua 79 table balsamies (5) 111 It commeling communic wents gronova

Pennsylvania 30 Virginia-31 16608 fenerio oboveta Virginia Highlands, arlington Co. Va. 09 acer spicatum (weedy bog.) aug. 34, 1439 amelanchie canadensis 16636 Xyris torta J. E. Km. aporynum androsamae folium 37 Cyperus strigosus L. 12 Panisum linearifolium 38 Juneus longii Fan det. 4. 9. 8. 1440 13 Luyula saltuennis 39 Byrnanthemum flexuraum (Walt. 1 135 P. Ribes 40 Lobelia applilitient. puberula actaca alba padrypoda 41 Cassia nictitana L. 14 Travella cerdifolia L. 42 Euphorbia nutans Lig. 17 Diewilla Konicha 43 Rhexia virginica L 18 mitella diphylla 44 Junious subcaudatus delizzen. 19 Cryptotainia canadensis 45 Linum sedium w asarum canadense 46 Vernous noveboracensis Willd. 71 Vaccinium angustipolium at 47 Conspoles rigidius det med II Hydrangea arberencens 48 tott Polygonum pennsylvaniam L 23 Pluveted vulgaris 49 Echinochton emigalli (1) Deaux. 24 Cantophyllus, Walichoides (1) much 50 Datura strammium L. va, 15 Bromes ciliata 51 Miliania scandens (L) Wills 76 danicula sp 52 Ipomoly lacumora L. 27 geum canadense 53 Verbena urticacholia L. 84 Ludwigia alternifolial same eve. (Thin works on canyon 55 Polygonum persicaria L: 23 Betula papyrife, march. 56 Carex luvida Wahlenb. 57 Eupatorium perfoliatum L 30 Betula papyofer var cordifotio ? 4.3 Carex frankin Kunth 30 Prumus virginiana L. 59 Juneus testilis effusion Thing Il arabis viridis Harger 60 Polygonum princtatum El. 32 Cardanine pennsylvanics Truckt 3) Circa alpha L 61 folidags junes 19 they web lenium americanum behins 15 Hoodsin Cystopleis fragilis or Vanicum dichotomiflorum Micha (3 Prieraria hiranta behneid.

Globe Road 15 km w. strington lidge lood; after 1,1745 abundant in arrampy flat to tottom land in trushy decidence without a string decidence without a string decidence.

tree ; in Tall, I don them mean base pedicals gentliest, perienth red, dish yellow, filements

Then second growth words on top of sidge chiefly events would burned Spots. Spreading stems from a back weeks,

10950 Congdalia reny totally most clope very totally most clope very totally was parsely worded brush brained was probabled brush brained was probable coron abnessiat proliferating; scape mental very brittle, actals white

The Executed clay with bed,
young trees 15 - 2,5 m. tall.
broken branche armetic.
flowers pale greenish
yellow, staminoolesnag.
77 bassafras abidem.

Wirginia-Maryland Virginia - Maryand 52 53 17033 Polygala curtissii gray Virginia Highlands, allington to. weedy slope with a few 8,9 Rubius argutus link Set. Mr. V. 90 Rubus frondown Bigd. was et 940. 17070 Denothera tetragona vertypes 91 Pteridium aquilinum (1) Kuhn 71 Tenothera tetragona va typus 92 gardussacia baccata 72 Solanum caroliniane 93 Rhus glabra 7.3 Trifolium arvense defotion 94 Baptilia tinctoria 74 asclepias 45 asparagus officinales 75 agrostes alba L. 96 Sericocarpus astervides 76 Coreofores 77 Vacconium 78 Compris tinctoria Mutt 7.9 agropyon repens (L.) Beaux. 97 Pyrola with Vier. 80 agrospyon repens (1) Beaux 98 Carex 31 Rubins bigans Vert 99 Volygala allerandua, Vo Hunting Creek wooded swamp in flat land along creek June 30, 1991 Wet ground at high tide-leveldeathered plants 17,100 alum 32 dpargarium 1 Denothera 2 Cornue amorrum mill. Cult. at Telema Parks, And July 3, 1749 3 Sambucus Canadeness of from seeds from 4 Thalictrum 83 Claytonia 5 Amothera 6 Slept Lavis Highway, arlington Co. Va near 24 Frazione pennegennian tall July 8, 100 7 Lycopodein obscureen L. 8 Kubus 4 Panicum 10 Rosa carolinas amora Hills arlington Co. July 6, 1940 Il galium trifedeungo. tinctorium () Hara 87 quereus 36 Guercus 13 Carex Lyrida Wahlent 8.7 Osenothera fruticosa franquestifolia 14 Cares estemes and Rudge

54 Maryland - Virginia Virginia qual Head & Fish 17115 Vita lubrus ca J. 17127 Kubuz bipuns 16 Khus verning L. I rear copof steep scope, 17 Sperala latefolia Borks. arrang trees, densely over 18 Pteriderem agriliam (1) Kula. grown with remisery japones 19 deginacha canes low areling, sometimes 40 galum several meters tong, primorene 21 Caret at after excepting on ground under donce regetation. Vinginia rightmed a length is Va agreed portion elongate steely open shoped forty 10,100 and etiventer, fruit the 22 Engelorbis andlata marginala no part of premorane 23 Plantago magelia noticeably primase. 14 aproximen canadamin Though a spored portions falled, red, note different I sen omentun of expersed con July 19, 1942 15 Rubus Sunly slope, dense thicket, a lever near intersection of Buckellollar primoranea and, ploreanes Mahames 340m. July 28 19 5/0 arching, both about a mitall, to a edge of woods near streated fruits black when ripe, severt and - cum thapand of. ship can fastigistal Rafillian sodiem ablum 7. no Kribnes bifrons Vest. su general antirrhina of. -same classifies no 17081, maderd the resident her again -dge of march, footof steep bea lathyma L. weedy stope cames low cum perforation . and it ifex nonetimes pain watata wissus gurngrafolia () Blanch. respectation to tested, fruits of nothermen incense (L) Miche 38 agropeyren refrance (L) Beaut dit fuelles 39 . Mifollion protense sweet. · animae verginiang L. Let K. V. Meeter

Maryland - Virgeria verginin 54 gent web 6534 170 15 Vites bulius ca J. 17127 Rubus befrom 16 Khus verning L. I rear top of steep slope, Sprava latifolia Borkh anong tree, densely over-It Pterideum aquilimen L. Kulm. grown with unice in justines 19 dependelia canes low arching, sometimes 40 galum several meters being, primary 21 Caret at after creeping on ground under dance regetation. Virginia rightando e unglos o la aprical fortion elongato and etwolated, fruit that steep after along for the second 12 Englistin wellate marginate no part of primoreane 23 Plantago migelio noticeably primage, in aporymen cannot though approach portions parfelich red, - hote syfference between tomentum of refree and some 15 Rubus brachy slope, de I hanton lever near intermedien of Buck Hollar primordnes ered, of Trail Rappalence 340m. arding, both above I thickets redge of woods near streak fruits black when 17128 - Verbascum thapand of. juny. 29 · Paromychia com fastigiate (Reg.) Tan 30 . Chenopodium album 3. 36 Ruleus bifrors Very 31 Silene antirrlina of.
32 · Ricassia man man to the son -came classifica no. 17081 edge of march for 33. Englorbia lathymis L weedy slope, care 34. Hypricum perforatum L and it ifax son 35 . Phly paniculata 36 Parthemoreness gurnquefolia & Banch. meeting under the test of fruit 37 · Pycnanthemum marrow (L) Miche 38 · Cegropeyron represe (L) Boow. det buelles 39 . Refolden praterie autest. 40 arrange originianal Let 16 70 Mostra

54 Maryland - Virginia Virgina 55 qual mat 1826 17015 Vites lubrus ca J. 17127 Rubies before 16 Rhue verning of. I rear top of steep slope, 17 Sperasa latefolia Borkh among trees, densely over-Pterederen aquelenum V.) Kula. grown with writing papering, 19 Lymachia canes low-arching, sometimes 40 galum several meters berry, primaren 21 Pares at afrex creeping on ground under dance regetation. Virginia rightande antengtonio la apreal portion clongate and etiseated, fruit bear steep open aligne foil your 17 Emphorbin and that mangents no part of primo cane 13 Plantage myeli noticeably primary, 34 aporymen cannelisma though a blivsed portions for falish red. Note difference July 19, 1740 between tomentum of upper and tores 25 Rubus brushy alope, cleare thicket. Thanton lever near enterester of Buck Hollan firmmanes end, floricane mail Rappalening 340m. July 28, 19 40 arding, both about a mitally I Thickels , edge of woods near streak fruits beach when ripe, severt and 17/28 Verbascum thapour of. 29 · Paromychia con fastigiata (Ref.) Fern 30 - Chenopodium allem 7. or Rubus Sifrons Vest. Highers 37 · Rilena antershinart. same clump as no. 17081, valende edge of march, footof steels 33. Eighorbia lethymra L wiedyaloge cares low 34. Mys circum perferation L. arching, primoreance elongate 36 · Phly panioulata and d'aprex xometimes 36 Parthenocuscus quanquefolio & Banch. regetation, sticketed, fruit 37 · Pycnanchemium incomen (2) Micha. 38 - agropyron repens (L) Beaux. Let waller 39 1 Hefollen praterice sweet. 40 - aromore verginiang L July 11 7 montes

17 = 17. Dley mortana 18. Robinea prenganera 17. Serievanjua actescentes (L) 1357. 20. Gillenon trifoliata 2). angelia villoza (Walt.) 1938. . It a one top of Bear Fence Fort. alt. 1080mm. 22 Biscom quaternetativet) quel. va glanca Million as Rubud alleghemenica Forte, at 1924 24 Premes virginiana 35. Elmerous ilitifolia de Pignia americana 27 · Byun melanocarpa Michs 19 Betille line to the to the total of the the the the total of the to 31 . selem philadelphiam L Spille finall Everlook 980m. 31. Centaure maulous Lam. 17 frevipeus nos varginiena Old Frankstell mail of from Handadill gof to purmit of far well my 10 95 -1245 m July 19 110 34. atties limiter the things 35 Preeg rubeno varg suabies proteste to the Fine. 311/119 canadensis L. det Elleners

reginia yeu hely and the 60 Vorginia St 61 17739, Hadgales commen appealedientrail, new Work 40: Earlya cordiformis (Wang) 16 Horis Houng theeter, and of jewis 41. galium lancolation to 204 Apr 13- 1102 mi John 33, 500 42. Palicen latefairette treflered after witing mander with + 47. Herring gineratur scattered outres and house 44 Corners alternifolies - 44 This valsames van phunevleger 17261 Amilax ztanca 62 Hyperican perforatum L Summit of far leaded tox. 1111 " 63. Carya avales Warmy fra glaba works in it ledges fine 125 m 64 Vaccintum garlidum 40. abies falsames in phonenty Until a ley macrophyllust ma iarthirms ibuy 7 km & 47. Diewilly Lonicery 66. Earya glabra mil I hwest 48. Betula lutea Micha 67. Cialacque macrosperma antie rex 49. Hedyotiscarulez 1 39. Follows junea act 1 Ux 57 mg 10 talifraga amounte myster in Wildeligentle superties 10 : 14th who argustoner (Willed .) Nest 71. Melanthum latifolium Dear Red from tentill Frait grayment of Virginia Highlands Edington to. 1. Harries die der warde Tyres - 1100 m 57 Springer on bright Refs 2 5 800 72 felaginelle 54. Hedy lit of transport to 73 Cynchospora glomerata van minor 74 Kyris torta filam. + 57 Attedays junes leit - 401. 9.7. NO. W. same los ang 9, 17411 Williams and and in the to the tracket pasture with scattered trees there words from 1800 a and bushes . b. Enfection purposeum t 75 Phytriacen decomplat 57. Thankium barbanado (1111-11) Neity, ed Mes. a sympleonicarpore orbiculatus mocach 17. Vounus vergemenat 17 in a frentagona Engelow. 59. Rubins coldens L del Mel 60. Lanicula mariandies L

on they have waren's commonton of

17278. Triodia flava

17279. Jumperus originiano

31. Physalis subglabrata mach - Bush

32 Rominera japonina Thurt.

34- Entelmine americange - me and

26. Albus toxicodending

37. asparague officinalis

33. actilled millefolium 18 of Hedge of trail

98. Apornova hedinaca phy set mines

- 92. Eugsholding together

93. Cuphen periolate 12 Trockine

44. acalypha showboiden Ref 25 MMV.

4. 95. I portogalacion

97 - Leter midis det t. Waintrack

-90-Engelor dentata sut mer.

2/2 mi. s. of Front Royal on thylindhine Warren Co. 400 m 1500pt

the 4 m. Toll, fruits light the plant of the with dark brown center with dark brown center

Small tite 4 m tall, trupply structed to the town tall, trupply almost the true of the tall the town tall the town

wordy climber on tree

believes white he tage aumster

fly or we were to ing -

the desperamentaling

Leste for his et and

det of 11 17294 - Lastera flaidang (L. 1922) 300 dactura saligna readude

01 Polygoniam lingen - + 02. What woods

03 large glatia roadeide

04 - Echinochlon erus galla Noadside

45. Polygonia arrealine roadside

Ackey Willia Pierre grounds Ling 10, 1940 3/2 mil a of Front Royal Wares 6. 1900 fd. 06. Helianthus Geapetatus L. 1885. Olpen words

Let MEV. 07 lespapula americana O8. Pegus malus I may few among true

you grown place ET- Juglano higher L.

Polygown persylvanian i Lex Mars

11 Cembrosia tripida moderale

Man Symul Xnot Cherlook. frod of wedget Toyal, waren to ? Thought. 12 actor partens ait delilite

13. Presentinally L

11/ + Pyrania incamin

plentweel smely say event fly perplish tober

tree from table.

tree 10m. tall back moderately rough.

perstrute

plant protete,

the level of the flow of the f

her 4m tall

exet plant has tall, fly developed but immetice

Lat 25 mitall

Ray I was de sting single The half he alpertant for the derby strangly and pleasedy mounts of high

173 Hayback Wid. Coulded, just as of Hoydran Mit. allow Branch Delan Warren 5.176 in 13000 pt. 17315. Berossychia fastigiato

"The myslia montana delan montana delan montana.

47 - Silve Basifolis Cuculalies

18 + Ciden fromdown L. Mct. 59.0.

- 14. This work making

20 - Dorme alteriforin L.f.

, 21 - Querous miles

Flat at some of grany fine Page & law is ft to word of the both of broken week work work withing the same with the sending

22. Galian Satisfolian micha

35 day genula devariation det Mes.

24 Helacien paraculatum h det 57B

25 - Polymour Candidanis L.

27 . Chiefalowin rugozum Host.

24. Brachydytum exetum - Sex Lwaller

29 - Simboria racconveal May on extindule !-

164 B

v 30 talen schneberi

31 Lelastropember 1

33 - Wester a rembellulate (Mucha) Morning

plant depended, from your counted as a manufacture of the whole and the plant of the plant on a manufacture of the first and a supplied to the supplied to the first and a

Lich 2 m. tall, some forest bened family reddent berner blue Lice 6 m. tall, rounded, a come from

plant define accord after proper grown of and broad peters the factor of the three plants and peters of the three plants and peters of the pole sellow. I will the factor of the pole sellow. I will the factor of t

33. Aster lacrois L. With small strendt

35. auch acabrata deliver del 7/8 H.

36 - Aquiligan canadarria

creat Rocker Page to 1111 1220 ff and 14,1440

1 39 - White between um phanesolope - son.
1 39 - Spenier Errestonlies expires dalle.
1 40 - Atabilla badatata
1 10 - Atabilla badatata

41: Crateuge intrinsta dange 101. Mall

Hankstill Gap, mediam to www. 3360ft

12. atris falagene " pre- lings 1/111

Northy Hat

43. anternous nevelinea grand

Brighten to tople of broken released with the state of broken released with another truck to the south and the state of broken released to the south and the state of broken and with a south or the south and the state of the south and the sou

the whole there white med the the the

tree you tole come evaluationed that the toler of the sent that the sent shows the sent the s

shorts Im. Till ful all.

ames exact brothered britts spreading for , with strongly reflexed.

floreram white

70 Virginia Blue Redge Mt. Minumbols Met. Reig 17345. Lolidago westa Buch (form) 445186. V 46. Vaccinium pallidum

47. Campaanula divariente det MINO 48. Aster pilosus Willd- det 18.00 49. Lolidago arguta ait. MINO 80. Solidago bicolor 51 Lericovarpue astervides

57. Tilia neglecta

18. Francisco americana

51 Vilonomem aconfolium

- flo yellow

thick clumps, 3-4 dm. tall, stome

green liever glander beneath,

beines blue . scarcoly

- aweet and with poor flain,

end, in small clumps, judicaly

- deflaced plower this laweds,

range white, sink yellow, turing

- from

- from and traveled at of stem

- troops of flowers white

- troops about purply file yellow.

- troops about a purply file.

- Pays white dish yeller turning in and - The tiste stants white white war to a test to base 1-18 a prior part event event franches to base, for yeller flowers yellow.

Free 8 m. Tall conver years on the format de mande la gen. Land de mande la gen. Land de mande de mand

Burun Mil Dockory Lleyen II w, alove bead of Bric Mitchen Krekington Co. (1971) = 14-58 atech fresh wednesd -17 3.79. Myhela bidonica 1 30 - 1 yota obtasifotia

tet ox 11 Cologoso secticillata 1

Kindge from Black Rock gap & B ack Noch Wooded ridge, along trail 33. Aprilian commonea 34- Hasia Tephronis virginiana 16.18m. T/A

trusky udge, mostly send make bulledy trail 36 and ropogon scopering Michie del Fall 12. Thoustofing wing Eng L 80 Pyrus melanocarpa

38 had as grammifolis (Walt) Will 48 5 P. B.

70. Hedgotis obtastation condensis?

91. Helianthun lacorigation 249.

The Myssa sylvatics

99 Helianthus lavogatus 13 675.

das Mel 15. Turertena probundaria

- trail 90 Hyperice I want (1) to Let 79.7 17. Respecteza binta unthal

13 Partner un ity of the det = 4.1. 99 hale enformers

Oreefring and writing stails willing there was a printer, when I will all - The comments file yellow

Rosely of Every Feli July 18, 19110 11 to force clumps, flow learned 141 12 plane 1-6-te

750 x 7 res 5 m. Tell, starile

Providing

7 ran small counts, to ge many 1444 plante transfer transfer NEW a house 1 mortally formedouls and 1412 planter sight made - mis in blank and to your 300 2 - 1 th col plants, se inston plant of & 15 mile life - on In fly for from fronts of 212 - to BANA HE - CONTER your fel outer yellow I agreet Grante richard metalogica " flo. yellow 100 - The solution turning dell range, planterust file thate

17400. Eunila originales

- Or. Virta fembriatula y Edm La clare

83. Vancince or traillan x pullide dit un

Summit of Black Rock John on Rockingham in 450 mm.

great quartzero bouldere

OH. Vaccinium angustipolium dit at 41 44 ay

between boulders

increase on worth and of boulder

07. Pines strobus.
07. Progresto capillaris /L. 1/Kers. W. Swalley

Laddle midge bet Week kook and Transford mit Rockingham a 440 m.

02. actragalue canalancie

10. Prenanthes altinsima 48 970

Blackfield anguatyoling 1 140

12. Viria septentimalis from the thomas

70 - Surfactions flower makes when the strongly arrows to view to the Town States of the States of t

form seny few white planes

stone, not direct flow for

searcely distinguishable
at a glames from the lieben
Parmelia? among which it
- was growing.
- qualities & intak

rest to dent fla white

were fruits orange to the

80 Vingina - West water The

Black Breke gap conscions of

17437 amaranthus hybridus 1

· 17. Plantago austrita

V. Crigeron carridences

31 amountain De ang 191191

Presture with restlered depolars

3) Celtis decidentalis

19 Paspalum laens Miche. Lept. 17, 1840

35 apregrum canne man L

14 Les opedaya concerta

31 Cosein

The Phaseolus

flowers white other polants

grow thing.

leaves on fast-growing branches, fruits on small branches and older growth, fruit unripe and extremely arm and bitter.

as me tree as \$ 16778. fruit mostly not quite ripe, the few ripe ones deep range works.

Liceland then ascending.

Liceland then ascending.

fruits different blow widet

flo yellow leaves sensitive

filed product with recording

from the fire bright was trumps

selmon heel twisted, doubt purific

Va - 10. 82

71177 Polygala contissis gray

10 Verbana unterseform

bottom of extension conven " Panicum dichotomifloum Micha

11 aristida longrapication?

1) to lemostilos crusgalli

M Lechtites heracifolis

45 Hypeneum gertier ich trais place in pasting

Mottinghem, Chester to 10. 11/11. Open ground, expenting barrier the storing widers of fire within the year.

46 andropogen

47 Pariaum

abundant

49 Englatorium in low done lax which to the about

51 Gater

in low knows therefore motioning

FI aster abundant

91 foliolago abundant

b) as hom scattered, not abremalent Florer megenter, herbege with restrictingues who weathers

clast of meeting - recently small ever clumps. search erect from all-demanded floot of received involvers proposed grown great evel for your prompts and

corning dens perenner comps, from my comment -dans props former dense perennet compo - flowering without every exect, flowers where, my - a few open ered, flower white

rays defolavender, dist pak - gellow, berning browned mayor white, diale yellow. - turning trous flowers bright years

Treamperhanno Rever fetine
Every lange lam, Cecil Co. 1828
Wooded bottem lands, many
weedy in repenings.

Es Enonymus americanus L.

50 Eliphantopus carolinianu i wedt place or agrimoria 50 Lobelia sephilitica L. AN P. Mollingh

49 Premanthes
60 Laviords
41 aster
62 Enfantorium

13 alnus 14 Digitala pening he wage anomatic when divide hand so the son the son the son the servery strictle. weny strictle transply stemp green, fruits to be color, seems green, service color, seems green, seems green, service color, seems green, seems green,

pleased flo blue-virted and the factor of the timber

gettern turningdown white for which a sigeth graying aget with a sigeth graying aget to the file and a sigeth

86

14465 Panison

a Hideoma faultgivides

17 Polygonum

48 Trichosterna

61 Cuphea

Sleepy Hollow,

Francis Co.

to Castonea primila

71 Polygonur aifolium

74 Mohtha

711 Cuzenta

75 Cephalantlino vicidentalis L.

76 Rosa paluatris 77 Michania scandens

78 Dryopteis tallyptein

vin tevining over wests.
fla blue - lavenda

should 1-2 m tall

ent sprowling great plant comuter, flowers peale towards marge wire, turning were and granastic on west to orther plants plowers white stem therein your below inflorescence strub 7.5 39 tall, sone branches with termente alle with opposite leaves should a mitally fruit red vin extensively turining over busher, fls. purperilas white fronds exect discorphic, whentit supported by the vegetation

17179 Botrychium dissectum

Westbrampton. Henrico Co. Westversty of Richmont Comments of mineral

31 Claphantopus modetus

83 Pentellang

ground with billed tich

39 thapenega

25 Playelanthus mitt, rubbush

37 tolidago caesia

28 Dennodium

89

90 along rimet

along invalet

91 domildeing racemora our cylintrately

47 galium cinacyans

93 Rupatorium

94 Polygonatum

45 Spiranthes ovaling under

To athyrium thily atervilen along rivulet

series showing degree of

Leaves flat in ground.

Stems translatory, leaves
glossy plant

baroles in on plan.

plants way fresh very slightly glamon. fils yellow thing emplaneling

plant according fruit common frequent whitish fruits the start welling fruits the start and seat, plants for the start

erect,

90

97 Polystonum elergrinulet 98 asarum virginieum

Winwiddle, Rinwiddie to Ad Man 11mind work sterile light gray granly will 99 Divolia Terez Walt. 17900 Enpatorium capillacium 01 quereus

03 que en rigen 04 aster grandiflour

or andropogon

08 Espedera

10 Desmodeum

11 folidago odorata

13 actor from pen pilos

gels white

tree 8 m talf

whent I m talk, fruit

cumen, seed, remillion,

shows a pay coil

plant according, rays bight

florings purple

from a carden.

a number of long stiff of the steme of long from a woody cander. Seaves be wrently when the bries fly yellow they less on a fly yellow fly yellow fly yellow

92

17574 Wroothermolin wresterty advandant along revulet

17 alkynumaspleneride elong nimited

19 patien abundant along what

no dynorototica ham dongered

were Weismobil 4 mg & of Charles tity Corales City to Sept. 19,1940 '0 41 open tidal march

11 gueren sign edge of maish

+7 Pashalum

tank bende was

17 Breehans

edge of drying sevale 111 Vasfalum!

trans trainly want 1 Ulmus aleta

wooded edge of march

to Myrica 27 Spinarther comment on whole eterile fronte only

grantical in adulai grandy contingers

large Tree, so in tall, and spreading trainly feet bades almost 1 49 This

should 2.5 m. talf

rest

Tree 15 m tall, 2 don the

should some tell

flowers in I appoint mander, want white slightly yellowed much shot not experiently story, bearing more so a while after contents -y delige of the higher one work now findict fortable to mederground - this attention

28 Cypic me

worded edge of mach

Il hascuta m various march plants

31 Cryngum

37 Taleothum distribum

3) Gelesium

11 almur tracket at edge of march

36 Phidens

36 Priolena the second

37 Minules alata ait

11 Gerardia

11 Ayes Jour

40 Kynchwapers

frames ground at redge of "

very abundant

43 Lotidago dry field

James We mean Teltington Charles at 4. topiof alex niver bank

44 Polymonia uvedalia L.

45 Polygoniam sharold farin

stander should am tall yellow one flo white erest, breads white tree 10 m talk with prompts journey (known) brings lemon yellow disk graniel

freit 15 m ast flower giller with fir pelica

hard frank flowers fre de vida to i mi tall flowers magnite alphylorous, ples white escot, mys to 2 mi tall

diant 15- 2 mitest, feloctule gellow, winef with rest. - Lecumbert, forming a regalf mat in maich for jellow

aromatic

my amounter, the have not

175 62 Clearyfalia wett mail

63 Prevanther ne edge of ities in mulyand

64 terminifuga nacemora maily and new edge of all warm not when

et ralmin latifolis north slope

to Direa planetus L rathly common, menty will may steem

67 Cracloshings dontorty a lattle title 19412

of Hepatics males trees, with shope

to trefebration

6- 1/2 min m m huney, furry to. mixed woods, to will some beech

69 Enfoliabili old wood wood

70 Cyfrenia ald word road

71 Cypenis fold work want

n Danwodium old word want

of Ponthiera

additingen and ground along atmosphily 74 Moneide gouvetata will from the old word was

brooks with ? - " teeth, glant nother reddich flo whitest fearlest

much larger plant wastry

returned 1,5 m. tage there is the training

Australia to the

afareading from wordy candy Hermon grand white with moreon opens

100 V-

17479 Montres appropriety

72 fordien male stony in open woods

77 Polystichum acrostreloides along small streemlet y ravin

73 Polystichum acroitichoides stong small streamler, with 17577

79 Piles

30 Pogonia

sentlered amale colonies

31 Collingra americana

32 Fifzais

73 Erellorhiys adultabiga

74 Cypenix

11 20 Phythanthus

37 side of old wood now

38 tolidago carria

99 Topulario

90 Monotropa uniflora

91 Gifagus buch Tres

Short stight was all the first of the state of the state

frainted plant

plant travelicent when the source of flowing plant son fil pink, make plant propher toward bonse, attend for fleshing amount propher of plants, fruit bright propher plant paring see

shirens yallowing but som

and my doublehore

acomotic

leaf pringle from the with the sent about the flowers about the flowers

102 Vingeria

Virginia Hyblands Erlington to.
Pasture with acattered from

17592 Cratacques marely oak tratagues and apple 1 orth oral and whindry),

98 Denothera biennis

acattered champs a lock who

atreamlet in sevaly woodland of mixed cleird wood trees with a few sembly Rinus virginians

Patterinis 4. Oct : 100 Pagg River Oct : 100 Pattery min 4. Oct : 100 Pagg River Oct : 100 Pa

95 Distid town Walt

90 Cyperus strigosus L. 748

97 Fich regundo L

95 Oxalis amorpaen ford.

young plants on loose took said
which were in grantly world embankment.

tra 11 m. take, fruit red

plantiered, gls. politima

from same clump "18944.

ford sand, flo pableverden

fallen but print persistent and very abundant in pendent sacenes bearing flashy white branches underground branches.

Virginia 104 17599 Hoomala lacunosa L. fresh sand 17600 Xanthium pungens Walts freal sand 01 Ruelkla carolinianiis (Walt) Stend added from woods or Erianthus alopeuroides (1.) Ell. old field, cleared in fains word 03 (isfolenium platyneum (L) Cakes and field, cleared in pensured then pine woods Committed with the street teams 05 Parthenociusus gringuefolia bare ended spot in thin fein woods Ob Cornus florida mixed woods in ravine 07 Amilas notundifoliq L. much words invavent 08 Fagus grandifolia whised words in raving, ware 09 Euonymus anercasia vilad words, moist bottom of ravine. 10 Corner florida -pine woods Il Tupatorium rugoeum Hout. bottern of ravene, mexed words 12 Vivla funtriatula J.E. Km. Old freid eleaned in pent everds 13 Trichostema dicholomum L

14 Supaterium

Virginia 1 106 17619 folidage nemralisait. 5783.

16 Lolidage rugosa 17 Chrysopsis mariana name, rather common

me V 18 Lectrea racemulosa Michx. same, rank

19 Cassia miditans L.

no galium prosum va puneticulorum

21 Eufratorium trynopifolium L.

some comment set. 22 aster pilosus var demotus Clales

same abundant det 794-23 perpedeza repenser. Marti.

24 lespedeza cuneata

15 graphalum obtusifolium L.

27 Lyngshoricarpos stundifician

23 tolidage proberula pine woods

19 Eupatorium anomaticum L.

clumps of 6-8 main stems from me denze novette, flo yellow some clumper only in bud. fes. yelen

fils yellow, most plants attached by a gall forming organism, causing deformily of base of influencence

sensitive flo yellow ascending or recleming most plants already dried up. Flowers whiting rays white, dish reddish tap were deep and strong,

stems prostrate, radiating from it, inflorescences eved. flo frinters parper erect, badly rusled

grants with somewhat believed ago. franche rays white, link greenish yellow shrubs 25 m. tall, every but arched attop, beries crimen. fle yellow

whitish

della

moth Curriena DIL 5714 17649 Bidens frondosa L. gally in then from words 570. 46 Erlfraldium bysoopifolium L. thin fries woods SAY) 47 Vanicum columbianum lesita. 47 Vanitura film wood angulare (1) Pouls
44 Hypericum fabbatis angulare (1) Pouls
mis.

same
det 49 gerardia tennifolia Vahl. 50 implistua 51 Leafredaya The Arenacium gronovii L. Duke University Frest, Durham, Durham G. Oct 9, 1840 mixed woods along small brook is redystis purpuren wolly place in admin virginiamint. vosey bank 15 afplenium platyreuron wiley place se respedeza intermedia (Wats.) Britt. stofring straded bank

97 turnymus americanis L.

43 Mimilias alatus

59 Bidens frondosus

wet ground, edge of stream

wet given along stream

wet ground along atvan

fle whiteh decumbert fle yellow fle magenta

fle yellow

FIM

evet herbs, somethat califiction, leaves variegated above. pale below

perfect much tall fruit

north Carolina 112

17660 Pelea pumila

wetground, in adge of stream that 61 Samolus parriflores Raf we ground, edge of stream

62 tobelia infolata

shaded ground near stream

63 Desmodium paniculatum (1.) Pt. straded ground near stream

64 aster lateriflorus shaded ground near steam

65 Selagirella aspoola morey stream banks

bb to belia

wet ground along stream 67 Vermodium dellenie Darl 7.9.4. wet ground along atream

3 mi s. Chapel Hill Chapel Hill 1 Cultivated field

68 Canothera fruticosa L. weed in row of nursery stock

69 Lymphorica for albus ras, larryden (9 m.) 10 let cultivated

10 Viter agnus castus cultivated

det 71 acalypha virginira L medi weed in wwo of numbery stock

71 Orodia virginiana

73 Hypericum drummondii, 9,00,1 70th) 704

74 Trichratema dichotoma L. weed in nows of numbers ettel stems flechy, translucent

79 N. evet

> plant anding, ray white dish reddish. erect be to with mulley

what meanly event

erect.

ered should, 0.5 - 1 m. tall, funt white. alrub, m. tall flo pintrick white. erect, branched beek, my tal. suffertenent near bay. prostrate fruit still green. but with white stripes. med, fruit red.

very aromatic when brused.

114 Moth Caroling 1747 5 Diodia levez Walt. weed 76 Eughber 77 Leifzedeza bicolor Turez. 7.4. 73 Callicarpa americana cultivated mev. 79 acalypha virginia. 30 Callicarpa a mericana cultivated 31 Parpalum cinculare nash 7. j. H. It lypener albornarginatus mart & sehred. weed in place that had been wet 83 Fimbristylis baldurniana (Schulles) Ton. weed in place that had been not 89 Hypericum gardianvides 35 Apriaca tornentosa entivated 86 dobelia priberula 87 Apiranthes " many ditch single plant found, in drainage litely Chapel Hell Mursery, 3 mi. s. Chapel Hill Orange Co. Oct. 10, 1940 88 Enfratorum serotinum Michx. then weedy woods ckey. 89 Helianthus decapetalus L. 570 edge of this rosedy woods 90 graphalium oblusifolium L.

ray prostrate, reddich ray prostrate, reddich shub, reddich suffruterent help, m. tall, suffruterent help, m. tall, fruit bright purple plant reddich suffruterent herb, Im, tall, prostrate, spreading.

det. F.J.H.

et 7.84 (but notes that this prob. is name as 7. distirtana (L.) Valil)

should im tall event herb, plowers purple. Als wary white, oderless

plant slightly glaverous gray, fls. grayish white. past pervering slight peppery order when owied

118 North Carolina

17703 aster pilosur willd. "Stin

of Commeline Liquetum volgare to

05 Enfratorium capillifolium (Lam.) And

Of Enpatoreum rotundifolium L 111.

07 Pyrianthemum hyperpifolium keith, our

08 Pyrus arbutifolia

09 Enpatorium perfoliatum L.

10 Cyrilla racemeflem L. miv.

11 Vibunum mudum L.

12 Solidago (Buthamia) tennigotia Punh? 77h

13 Rhexia mariana L. miv.

14 Chamacypains thyorder (L) BSP.

15 falix nigra Marsh." "its.

16 Mileania scandens (L) Willd,

edges of cultivated land, around nursery grandulosus L. Their

suffrulexcent herb, 2m tall much branched, strong may white, and yellow, turning reddish. should 1,5 m. tall, branches with distictions branchets furt green plants mostly about 2 miles flo whilesh turning darly red. al whitish plant gragish green aromatic should 1.5 m. tall fruit red fls gragish white. showle 1 m, tall fruit deep bene.

- shoots 4 m tall award oldsting vine extensively scimbing over backers, flo purplish white, fragrent.

plant green branching from base

17718 Commelina communis L.

79 H.

神.

19 Lotadago nemaralis ait. 391.

1 mi = Washington

denaely wooded swamp, mostly

Myssa aquatica, some ash and cypness so Brehmeria cylindrica clump of several stems on morary hummoch

21 thomas Carpinus carolisiane, Wilt.

22 flag virginica L.

dot. 13 Lycopus virginias L. 縣 base of old stump

24 Pilea

on wet of morry fallen log dat. 25 Lycopus virginius L. OMF. in wet mosey fallen log

wet cleaning in swamp filled with logs and rotting bank and standing water

14 Lycopus mbellus Moench.

27 Higherman petiolatum Walt

28 acalypha shomboiden Rap.

79 Eleocharis oblisa (Willd.) Schuller

in water 30 Cypenis oderatus 6.

prostrate, elongate, fls. will two large petalo bright light blue, third whitiels and smaller anthers yellow with a red dot on the connection. plo yellow, plants solitary.

erect

shoul y mitall shub 15 m. Talp

flo. white stranslucent stems fleshy, translucent stems wing

flow hite erect plant reddish bracts with about gteeth

worth Carolina 122 Justiaca decurrens (Walt) DC. 17731 in standing water det. 32 Hydrolea quadropalves Walt melle in standing water 33 Overmeina explindrica 74 Pologgonum setaceum Baldu ust. 35 Clemater (Minna) crispat. 574. edge of march 36 Polygonum punetatum Ell. in standing water 37 Didens discrident 7-9.1 Bitt. 33 Bidens laevis (L)B.P. act 570. en standing water 39 Adidago (Euthamie) teninfolin Prevole 578. 40 athyrium asplenioides (Micho.) and. 40m. railroad embarkment just above to swamp 6 m. n.m. Engelbard Hyde Be swamp with reattered fines, shrubs, and a desise growth of reads. 41 folidago firtulosa Mill open place 43 Khus copalling between wad and ditch FYH. 4) Panicum vergueraum Mulel wet sand edge of wad +11 andropogon virginian & va. dustadya 1841 Hach? The solitary or almost so 47 andropogn glomeratus

erest, almost Deaflers

main stems reclining, much branched, smaller branches ascending, fl. whitials bls. blue - purple plant ascending, fls. white rays none, dieta yellowich brown rays bright yellow, liste reddish heads yellow abegone prostrate

headryellow fruit dark red

solitary a simple

Camp Wight, m. and Rosnoko Island, Daw Go. sandy flat Oct. 12, 1440

17762 Chrysopsis graminifolia michen. Let.

64 Juneus dichotomus Ell-

69 Diodia teres

66 Hypericum gentianviles

19 acalypha gracilens gray mis

of Penleco found, Dave to. Oct 12,000 g sandy edge of salt march ser.

68 I partina patens (ait.) Muhl. 778.

19 Borrichia frutescens (L) DC.

70 Distichlis spirata (L.) Greene det.
71 aster tennifolius L. 974.

72 Sparting alterniflers Fris. 794.

73 dater tennifolis L.

71 friffice Fimbridge stradiceale Wall Enter Mines

75 Cypenes odoratush. (C. ferri Rid) 750.

Pea Island, 5 % mi-a.of Onegon Inlet, Panlico Sd., Dare Co. Oct. 12, 1940 sand flat, salt marshy in spots. 74 Solidago sempervirens grassy place plant reddish, brails with

separate plants, rooted deep in and leaves thick gray flow polone. The purplish solite, leaves fleshy by other plants well held up by other plants well held up by other plants of held up by other plants of held up by other solitary or several culins in a trift or solitary or several culins in a trift or solitary or amale trift.

almost evert, los. somewhat fleshy, fls. yellow.

17791 Dirdia Teres Walt.

love rand, abundant

92 Croton grundatus Jug. mois losse sand on embankment

Parlechalf way between North Rodanthe and Rodanthe Pamlico Count, Nava Co and flata Oct 11/140

93 gnaphatium oftusifolium L

94 Centella

95 Mikania seandens

96 Polygonum punctatum Ell. med

1

97 fanction Triplasis purpuses (Well.) loves sand lesis purpuses (Well.)

98 Juneus scirpridestem. 77 H.

99 Muhlenbergia capellaris (fam) Trim 7411

Panlies hd., Nave Co. Det. 12, 1840 this bets and tamales a rend

thickets and tangles around marshy depressions

17800 Myrica centera L. der 891

01 quereus

some plants much larger

slightly perpenyeds, sweeter whitey creeping by underground stems, for ming patches, somethed fleshing ver other plants vine clembing ver other plants for governish, white wery prostrate, several steher apreading hip to 1 m. or more long, flowering while still inclosed in brack, already dry, seet large bureles, inflorenence conspicuously purple

fragrant shrub 3 m tall friet wary blind gray buch filled with sand, leaves gray beneath, acoms green

17812 Hex vomitoria ait.

03 Taxodium distichum 12.1 Rich.

04 Ciruta manulata L in the sing marshy place of Backbaris halimifolia sandy place, edge of thicket, common ob foliology (ruthamis) Tennifolia Panda " opening between bushes of Endwiging lanceolata Ell.

07 Ludwiging lanceolata Ell.

08 Rhus corpallina

10 Chenopodium ambrozirides L.
11 Kosteletzbyga vinginica (L) Prod
marchy place
12 analia o frinces Zanthorylum territes
13 Persea probercens (Parch) tang.

14 Myrica cerifera L act 97B

15 dolidago (Enthama) tennifolia Punch 1574.

16 Bacchair-halimifolia

17 Dacynum hypericoider L. The

common

with sand translitets rigid and spinore puit green tello m. talf, upper part mostly dead fruits on love, branches, green herb 2 m. talf, oilyodor when transless in talf, leaves this and topper, leaves this end to me talf, leaves this

- stand 3 m tall fruit red, panicle
- shrub 1-2 m tall fruit red.

shrub 1-2 m tall fruit red.

strongly aromatic
erect likel, 1-2 m. tall

tree 4 m. tall, fruit green, a few turning blue. fruit green, a blue shrub 2.5 m. tall, fruit blue. fruit

heads yellow shrub 1 m. tall, head browning. white.

Hatteras Island, Dare G. Oct 13114 and martresh water pond, singer 17818 Potamogeton illinoensas morany Fix. surnerged or uppermost leve flating 19 Hydrocotyle umbellata L submerged or some leaves above write, 20 Bacopa mornieria prostrate gronoust sand 21 Lippia modiflera (L) michx. 574. most sandy feat 22 Bidens Chevis CL. 185P. moist sand Magillacia 23 Lagittaing latifolis Willd. edge of frond Buxten Landing, Hattera Joseph 14 amlies Ad. Dane Co. 0. 15 Phythacca Lecandral. 17 Coppens volvatus L. 77 774. 1et. 27 aster tennifolius L.

plant prostrate, leaves blechy, flor, whitish.

plant ascending, vary yellow disk yellowish but anthers place. beads subgloborse

flant enext gleshy white black, gring ralling black, juicey

many plants , m. tale stringly anomatic, green. erect, fleshy, fl suplish white

Woods around Buston Hotters Shad. Variety form Get 13,1000 wing in Trees.

Woods of lawing form que and formation of the climbing in Trees.

Climbing in Trees.

31 Taxodium distichum marshy depression

32 Lysimachia Devodon verticillais marshy depression (1) ca.

33 Elephantopus mudetus

34 galium hispidulum Michx.

35 Chrysopsis graminifolis

36 Lorghastrum nutans (L') Wash

37 Rhus colpallina sandy soil

38 Woodwardia areolata

setimmarshy peaty depression
34 Callicarpa americana

sandy wil

Parton Randing, Hattera I sland Pamlico Id. Dare G 0 27.13,1480 sand flat 40 Iresine celosia L.

Sand flats west of Vid Cafe Halteras Lighthouse, Hatteras mend, Pamilies Ad. Dare Co. Oct 17, 1740 41 Uniola paniculata fruit green. Tree 15 m. tall, only one invicinity

herb & , m. tall.

wote yellow fruit blue, fleshy fle yellow

accending panicles drooping shrub, m. tall, fruitderlood.

should I m. tall, fruit bright

erect, stems redbish, fistalose

wide the sand.

17942 Dicromena colorata moist depression

113 fudirigia moist depression

44 Erigeron querifolius Lan. 1sts.

45 gerardia purpurea L.? mil.

46 Rippia nodiflora (4.1 Michx. 51h.

47 Lolidago sempenvirens

43 aster dumosus L. (frm) 576, moist depression

49 Diodia teres Walt. very abundant

50 Juneus scirprides dan. 190.

51 andropogon virginians 1. 19th.

59 Mullenbergia capillaris (Jen) Times sand Plats

34 Cypenis polystachyor Rottle 298 moist depression abundantus

55 Laboratia campanulata(L) 7m mer

Peters Bridge, 3.5 mi. w. Buston Hatteras Island Pamlico Id. Daro Co. Mixed Spine and live vale words Oct. 14, 1940

156 Diodia virginiana rosodside, edge of swamp

- bracks white

rays purplish white, lish

greenish yellow.

corolla bright magenta,

falling very easily.

very prostrate, nooting

afnodes, pedundesered fly white,

leaves somewhat fleshy,

heads yellow.

rays purplish dish yellow,

plant erect.

headralready dry

a number of outmer close
together, but not truly caespitore
bacts printish brown

large bunches, purilipups

flo pink with a yellow with star in center outlined with with deeper pink, points tridentate, center with longest, baves fleshy

prostrate, fruit goen of white striped, corrugated longitudinally

17797 Lagittaria Calcata Purch 77 H. in open march alet ; 58 Hydrocotyle umbellata me V. edge of open march 99 Juneus lichotomus Ell. 744. wadside, edge of somomarsh 60 Kosteletzbyn wingining (2) Prust wet bleening in woods 61 Centella repanda wet opening in words er dabal sandy to place in wood scattered here and there 63 andropogen vinginicus L 87 11. amallelump in open woods 61 Rosa palustis Marsh. low words 65 Suneus lichtomus Ell. 794. dry sandy ofsering 66 Persea publicens (Phush) day. 553. open low words with much undergrowth 67 Salex alba L ras (?) be bufactorium verbennefolium micho moist grassy spening woods 69 funtous Cares longi Mach mirest grassy offening in word 70 Polygonum princtatum Ell. mount granny opening you 71 (ister dumanus L. Ufirm) 370 moist ara laide MEK. 12 Crescula gronovii Wills. 74% parasitie on plants in edge of swamp

pls white inflorence arest, slem prostute herb toll m tell. spreading by undergrown Herel, inflorescence erect, Black, fruit green, turny bushes vm. tall forming impenetrable tangles, fruit red, abundant inflorescence already dried reg. tree 5 m. Tall fruit shing blue-gray- flace. shrub 3 m. tall, leaves somewhat grayish and shing beneathy

fr grayesh

ascending, fils greenistrolito rays larender, dish yellowiely greened white, panicle travelies thick

morth Carolina 144 Salicoma emojenea L. salt marsh 37 Saliconna bigelovii Tors. salt marsh mi s.w. Hatteras Inlet Deracothe Island, Vamlico Sol. Hyde Co. Dot. 14, 14 sally flat mostly grown thick with males 38 Commeling anguitifolia Michx. MX occandrag, supported by the 89 acalypha gracilens gray open place 90 galacter regularis (1.) 198. "F) 4. open place 98 aster tennifolius L. 550. 93 dippra modifiling (L.) Michr in dance makes 94 Vacchain halimifolia 95 andropogen viginions van tennispathia (nest) ten opias. 96 ambrosis artemisiaefolia open place 97 Linger findristylis spaling 1474.7. open field 93 Muhlenberge capillaris (tam) Trin 7 mi, s of the Halleran Intet, Ocracoke Yaland, Pamlies Ld. Hyde to.

open worthand Nex + Jumpens Det 141919

The latter mostly dead

stems erect, fleshy, stems erect, thick fleshy, slightly reddish

planty tractowith , tieth

twining on other plants

yellow, leavender dish ascending, leaves fleshy

tom give erect, plante almost solitary

rest

small tufte

large clumps, inferencence

17899 Monarda punctata

17900 Amilax Bona-nox L. 794.

01 Cyperus retroreus van cytindricus (541)
02 Galacter regularis (L.)BSP. 4244.
03 Juniperus vinginiana
04 Iva fectescens L. 427.
05 Ilex vornitoria
dominant shoul a small tree
06 aster subulatus miche. 575.
07 Eupatorium coelestimum
08 0 puntia drummondii Greh.

Woods n. e. of Oceatoke, Oceatoks History Pameles Ad., Hyde Co. Ost .14,1400 09 Polygonulm princtatum Ell. miv offen sandy place
10 Enpatorium capillifolium
11 Polypumum procumbens
12 Juniperus virginiana
12 Juniperus virginiana
13 accyrum hypericoides L. mel.

plant aromatic when brusal, bracta was purple and white, corollar oblicate greenish are some color dotted with purplish maron liana climbing over trees young plant with apiny leaves fruit green turning darly reddish with gray.

- twining on weeds.

large old tree, me all

fut a few branches dead.

shink on tall, leaverfluly

epinose should, frhits

- turning red

flowers bright lovender

fle greenish white freethe green inflorences dry tree 5 m. tall, print immeters exet

Morth Carolina 148 det. 17914 infebrora aussina Ref Mr. V. open sandy place dit 15 Eufratorium cuneifolium Will. 51B. open weedy marshy place Mer. 16 Rechea villosa Ell 17 Dirdia teres ofer sandy place 18 galum hispidulum sandy ground, under tree 19 Tillandsia us nevides hanging from branches of live only 30 Juencus mirginiana 21 flex varnitaria 22 quercus virginiana 3) Solidago sempervirens open moist field cleaning 14 Chloris petraca Lev. undertier aand roil 15 Cyperus polystachyna Rottle. open moist field cleaning ut I Sperobolus pourtie (R.S.) Hitche sandy soil, under trees 17 Leipus americanis ofen marshy spot, abundant 28 Lottodago (Enthamia) termifolia Porch? 5715 after moist cleaning det 19 myrica ceriferations 30 Lythrum linearet. open weedy march 31 atiples patula ofien weedy march

evet, arching here, m. tall dry. wette green inflorence fruit black, flashy, roots - yellow. pendant, your, tranging - in great marce. - tree is in tall a como green - tree 5 mitale, fruit green - Tree 4 mm - talk account green fly yellow eneroteans light green spicker small trefts gls. yellow

Ocracohe, Ocrabobe Island -, of l'ambies dd. Hydelo- adin 49 17937 Chenopodium combroscod L weedy swadied 3) Bunelia Equivides (L) questo. "575. weedy vacant cos Woods and flate a co. of a contre Oxnacobe Island, e of Parolishd. Hyde G. Oct. 14,1 10 14 Clasus arborea (L.) Des Moulies Tixo trushy randdune 35 Barrichia fruticoca ralt flat 郊水 36 ypeus globorus dubl. "sandy place 37 Bilens bipinnata L edge of woods 38 ambrosia a lamisiacholis edge of woods 39 Moriarda punetata edge of woods

40 Enghorbia

41 Smilax lanceolata L. 794.

41 Hydrototyle bonariensis Lom met

12 Hydrototyle bonariensis Lom met

43 Opuntia summondii graf.

sandy flat

plants 1% m. tall, very shrub 3 m. tall, starile 1 called "hen har breally,

fruit black when rips, there enty red gray, fleshy, flyellow

erect

the same

bracks whitele to rose, corolla delicate greenich cram-wols, dottedwith purplishes maroon very prostrate, sap mistay liang over sucher this principles while reddish, sling this principles about principles about ground, leave and principles about promised principles about projects from shaddping prostrate, very pragile

fruit turning purplies.

17956 Lings Findrictylus spadices 57 Denothera humifusa Nutt. 58 Physalis viscosa L. Sm.

59 Linum medium (Planch) Britton to

40 Baccharia halimifolia

61 Cuscuita gronovii Willd. 170.

67 ambrosig arteminingolis

63 andropping on virginium. L. 791.

64 Ludwilgia alata Ell.

6) Eleocharis cellulosa Ton. 794.

U Cyperus strigornet. 744.

67 Proschfishaes palustris L. 178.

18 Coffing Cyperus harfran L. 170

69 Corner ferning mill.

70 Cester dymorus L (form) 1 376

Il Digitaria axonopus funcalus (Hügge) Hitch 794.

To offeranther cernan word

七十十十

fle pale yellow worth very dap in sand fl yellow show talk stems yellow

Event ner not the new THIS

colitary or almost so.

event

event

small Engla, culms nother

weak

should is morall pamiel

red. Servies dull hard blue

rays lavender, buck yellow

fla white, way, almost orderless

north Carolina 156 157 17973 Mina flexilis (willd) Rostles bearing to subvieged is great masses in small 74 Empatorium hypropholium L. SFB glo-graying 75 nymphaea odnata act. 576. fle white with faint and in a wall pend, about 3 am. deep. whey man surface to Sottom, leaves and flowers surfrance To Cladium gamaicense Cranty 770 pord, standing event E-13-sy, tall up to 2 m tale 77 trianthus geganteus (Walt,) mull. moint ground near from -terater front = JK weiter 23 Jane marginetus Kolk. moist ground mean fresh water from plant dark red, extensively 79 Fridwigia in merd and trate, at so Truglochin striata 8.00 FF.H. spilie exect, green englass or muddy your stat marginer pesticite prod 31 Juneus marginatur Both. 444 inggrass on ever ground performant purpose L.? 12 grandle pripuent.? flowers bulliant to megenta - - - Ch - Exte diging water prostrate with according 3) 10 fgorlyn portorisence Best. in water at edge of great water ford wender for reddien

New Inlet, north and of Hatteras deland, = of Palmercold. Dare Co. Lulty tidalizand flat 17975 Lalicornia bryglowing Ton.

96 faligaria perennis mile. salt marsh, shallow with

97 Laliconia toplant too salt march, shallow water

98 Borrichia frutezcens roadside sand in selt mark

fra the 4 me. a of Dregon Enlet, Vea Esland, 2 of Pembero fol plants 99 Lva

sand flat

and of Onegon Inlet, now and of Pier Island = of Pamerico Ld. Dan Co. Oct 15, 1990 -small sanddure 13000 ammofobila breviliqueta dirding dune 13001 Uniola paniculate Sinding dune

exect, funting partedry aterily parts green and fleshy some plants entirely steril others partly and others enterely printing fruiting part dry, stend Terete reddish great fleshy fruiting frantsdry, stelle parts bright and water flashy yellder. Fleshy, fls

large clump, leave bright green, fleshy.

deep rooted deprotop. 19002 Juneus criaclus Mach. "77 H. sut 03 Polygonum punctatum th. " 1800 Laupus singham white secretary of Laupus singham white secretary secretary of Laupus singham white secretary secr

06 Polygorum pericana L. me.

09 aster novi - belgir m. elodes (7,9.) gray 59

10 Vitid alnifolia area edge of burned area

79 H. Il divilax rotundefolis L edge of burned area 12 l'ansea pubercena (Pursh) Long. 100 edge of burneduce 13 Enpatorium capillipolium 14 Woodevardia arcolata side of drainage ditch 15 Bilens foundrsa and of drainings little dit 16 Vanicing vermessing Mules. PAH seder drainage ditch 17 Bacquain halimifolia

dense clumps scattered, stems according fly greenish white small clumps sulma event, leaves on all telms deal fla. white, practically orderless, in _ three ranks. stems ascending, flagreensh -white. dense chumps almost event, rays oright lavender teels wellow turning wolding should I'm tall, racemen cest woody were climbing on amall type fruit dark red with pale speciales. sweet and with good flam, thick streng in tree, an both mider, fruit glavere tree 7 m. tall, for traves aromatic when bringed fruit green erect, file printicly, involves ned

> diele yellow, rays more decumbent to according

Vingtnia 164

10 mi s of hapfolk, Mansemon to dry weind greath woods the main 13018 Hez glatra shorty cleaning near word.

19 Lewerthor arellais (Lan, 12 Don

Erusten cleaning men road 10 andropogon verginant.

bushy cleaning over , wand 21 Myrica ceriforal. 1st. 576.

22 Oxydend som arboneum

1) Infactorium pubercen Muhl. 214 brushy dearing near was

24 andropogon virginius on totalabyunted Hoch?

15 Uniola land (1-1098.

of gerardia pompurea L. del -Stee " detely along work

27 Hypranicum gentiamoides ditch stony and

18 Lolidago nomoralis dit 15500 wanderide

19 Kheria mariana L SHIP. waderde stitch mex

30 Pyrus arbulefolin 12 16 - Ernoly cleaning near was

3 mi 2 100 of Window Jak of Wight to then second youth woods mestly grans

31 Lobelians mittally Ry 4.

should 15 mm tall, being black should for tall erect amale clump should am talk frait gray way, very starries. stander should 3 m. talf. leaves already wheel our praying

794 prent a titary

worth wight was wagenty some doubt from

flo yellow

getal- Guliant zuman anthus yellow Juit searlet, should 1,5 m all

for grante damender

18048 aster pilosur var damten Blike sois.

49 beleginella apoda 16.17 em.

50 Rosa palustris march. The

SI Dirdie teres Walt

51 Dardia teres Well.

ornuddy soil at bottom of ward

5) alme of the 14:560. a secretate willd.

54 Commeling diffusa Burm. G. 754.

55 Panieum agrostoides throng tothe montheres

50 Hypericum mutilium mud at bottom of soutembelse

97 folidege oderate ait. muddy soil near edge of swamp

58 Decumaria barbata muddysvilnear odge of swant.

59 ascyrum bryperisoidest. mis.

so falium trifidum L. va Hinstorium

4 Plusher the petislaris Cars. 30

(1) dalix nigra March 17/1.

turning reddiely green prostrate, pall green shrub am tall, fruit searlet.

plant much branched, weak,

shoul 3 m. tall.

flower one much branched, blue, lover one mally white, white, anthers yellow with a dark ned spot in the connecting.

bla yellow

plant low areling, herbage aromatic when bruised. wine, extensively climbing over vegetation fruit dry,

such, very armetic

170 Vinginia

14 60-144)

18067 acalypha gracilens gray mist.
mud at edge of second cleaning.
64 Mysea agreatica
one of abundant trees in swamp

Lleepry Hollow, mi sof talls Chinch,

Tainfrax Co. 100 m. Tall Teb. 15. 1941

Thicks woode of Panue

Virginiana. phis stand
with lettle undergrowth, puttle

105 Chimafelila umbellate cisitlentes

with C. maculata

Bills

16 Chimaphila maculatal Mand

south slope in pasture 60m. March 23, 100

Vinginia Highlands, arlington Co. April 5,144
In old tiet yaclay quarry on
steel banks
68 Ocen rubum 2.

alender tree 6 m. tall (athera much taller). base enlarged, leaves about ready to fall. fruit brownish penjale. wester light affected glaveous with tragh shin, pull juicy and exceedingly bitter and som

abouted, large colony, spreading by underground atems, leaves shiny and green. leaves dull, dark green with white midrib and.

flowers white

erect trunks, 10 m, tall flo, and.

Vinginia Highlands, arlington to. april 5, 1941

cultivated as street trees

18069 acer saecharinum L.

70 acer saccharinum L.

71 acer mbrum L.

72 acer rubrum L.

77 acer rubrum L.

74 acer mbums.

Alsey Hollow, I mi. s. of Falls Church, along Tripps Run, Fairfast lo. afr. 4,1741 open freld with scattered small views

75 Frazinus

Fairfaclo. april 6, 1941

low wooded bill

76 Cornus florida L

77 Ilex opaca

78 acer rubium L.

79 quercus ruba L.

(80 acer rubrum h.

(81 acer mbrum L.

32 quercus alba L.

33 querous

84 alnus abundant, forming low woods 85 falix replace seen back gray, checked, tree 19mm. back gray, checked, tree 19mm. back dark gray, rough rice 8 m. back low bushy tree, back lank gray flored low bushy tree back dark gray flored low bushy tree, back dark gray flored low bushy tree, back dark gray

young tree um. talp.

- small spreading tree 3 m. tall.

- tree 4 m. tall, fls. nange

- true 15 m tall, fls. nange

- small tree 5 m. tall, barledark, rough

- small tree 5 m. tall, one m. thick

- large tree, no m. tall, one m. thick

- near base fls. dark red

end years bloosening in elongste plates

amalf tree, 6 m. tall, with

last years dead beaver

clump 3-4 m. tall, catheirs pendent slender should 1 m. tall

13084 Linders benzoin (L.) Bl.

Sleepy Hollow, along small branch of Tripps Run, 1 mil. o. Fulls Church afril 12, 1941

moist bottom land near stram · 87 Junipeus virginiana L. ofser field with scattered for serul pines .

38 Claytonia varginica L unde trees, ground overgrown with a conject of troicers japonies.

. 39 Lymplocarpus foetidas (L.) Mutt. flat, wet, shuded place, beary clay-silt soil. .90 Lindera benjoin (L.) Bl. flat shaded place

91 Lycopodium complanatum t. ver. flabelliforme Fern. gently sloping ground under semb frines.

193 alnus serulata Wille. abundant along stream

should 1.5 m. tall, very ofren, fels yellow twigs aromatic

small, strictly erest tree, Im tall shedding pollen.

can brownish, watery, leaves flesher blower closing in late afternoon, white flushed with frinks. mizome deeply buried, leave, unfolding, spathe drying up, all parts frotted when broken. slender showle 1.5 m, tall, others rearly up to 3 or 4 m. A back strongly aromatic when truised. -flatemon yellow, fragrant. Apreading colony several m. across, waterocks enthe letter on the surface of the ground, to spale, a where exposed, green, evert shorts dark green. shrubs up to m. tall. - back light brownsh-gray clumps's m. tall, cathins pendent.

Holmes Run, or mi, now of Triadelphia mill, (4 mi. w. of alexandria), tairfax Co. alt. rom. ager. 13, 1841. words open glade in mount wooded bottom lands. 18094 Erythronium

> Holmes Run, just below alexanding (Barcroft) Reservoir, 1 mi. s. e. of Buileys Crossroads, (6 mi. w. m. w. of alexandric), Fairfax Co. 45-60 m.

under serub prines, a slope

96 Pinus

a slope, thinly wooded, mainly

97 Carpinus caroliniana Walt. alluvial terrace along stream in wooded navine.

bulb buried deep, leaves tronze-purple, mottled with bluish greeze, flower modding, horizontal or pointing downward, perially bright yellow inside tronge marked outside inside aspeckled slightly loward base with red, recurred, anthers yellow, the two sets the - Rame color. Inner segments slightly aurieulate inrolled at base.

small, loose tufte. 6000

Gam.

straight tree 30 m. tall 6 2.5 don. Thru mea base, barls drown and flaky, only one seen. spreading tree 7 m tall tall dark lead-gray.

18093 Erythronum

mar foot s. slope in wooded ravine.

moder baro treez, (very near."
#18099)

99 Erythronium foot of se. slope in woodednesine, under basetrees (veryneas # 18093).

18101 falix
on gravel bar in stream (with "1818)
on gravel bar in stream (with "1818)

50m

1-10 cohe

bulb the deeply buried leaves bluigh green wither above with thonge - people, flowers nodding, horizontal telporating downward periantly segments received, inner mez - more so, bright yellow marked externally with gray green internally trightly specked with red toward base, stamens and, the shorter set very dark to longer set trick red, exceptionally as dark as whorter onex. sull darply buried leaves dark red-purple, spotter with blue-green, flowers nodding horizontal or more, bright temon yellow total segments recurred very slightly trunged ortaids, with a very few redilots toward base inside, both sets of stamens bright gellow, only a slight difference in their length. slender shrib manualting To 3 m tall alender should or amall trie, 4 m talf, cathing cilvery, black speckled.

180 Virginia

Sleepy Hollow, near Trippes Dun.

Hedyotis caerulea (1.17.9)

03 Potentilla

04 antennaria 15 antennaria

with # 18/84

open woode tadly infested with Lovicera japonica

april 12, in

Petals chromeyellow, mostly very slightly emarginate, with aniversally so: anthers properlish, rest of flowers prayish white.

abundant in a colony several on many bulbodiefely brunied, leave, green, sportled with gray green, some with brongy shading. Shading, florovers broading, leavest yellow, segment, so, slightly bronged outlied, so, slightly bronged outlied, so base estithin, anther very dark sed, inver perianth segments olightly auriculate guest above base but not at all classing the stamens

Als deep purple.

april 12,1941

07 Viola

underties in often woods, bottom land

18103 arisaema atrombens moist bottom land near stream og arisaema atrombens moist wooded bottom-land, near

10 Ranunculus abortivus
moist avooded bottom-land,
mear stream
Il Ltellaria media
moist bottom-land, near stream
12 Viola
moist bottom-land, near stream

13 amelandires canademina May 1, 1941 moist swampy bottom-land

14 Carex springy swamp-land, regate. 15 acer rubrism L.

16 Carex Carex

16 Cares abundant in swampy wooded bottm land near stream.

17 Viburum prunifolium mont worded bottom-land, bank of stream

18 Cornus florida L. moist wooded bottomland, bank of stream

leaver not at all glancous, spatho smooth, green leaver not at all glancous, stems, and petioles purply, spathe green outside one deep purple with yellow with yellow

The white

The lavender, the two lower marked with violet in basal part, all greening near base.

small tree, o motall, wards smooth, lead-gray, fruit immetine. forming large dense tursocks.

tree 15. m. tall, wings of fruit rose-color, to small tufts

tree 8 m. tall, fils cream white

small tree 4 m. tall tracts white, showy with wilders emarginale tips, flo greenich gellow fragrant

184 Virginia

18119 Morus moist worded bottom-land, along stream.

Virginia Highlands, arlington Co.
May 1, 1940

Cultivated as a street tree

ro acer saccharinum L.

11 acer saccharinim L

Vi mi & of Falls Church, Fai fax to may 4, 1940

on slope, and edge of oak woods

variation variallans Ton

23 Rhododendron mudiferum

s" gazlussacia baccata

Steepy Hollow, 1 mi, s, of Falls Church along Trippes Run Fairfes G. May 9, 1741 Rich wooded bottom land, along stream.

or geranium maculatum to mall colony, not common her to Barbarea vulgariet. fairly common expecially showl am. tall, pistillate beads green with transluxent white stigmers.

bank gray, checked fruits turning yellowish tree 15 m. Take tale, bank gray, checked tree 15 m. tale, bank gray, checked tree fruits tree gray, checked fruits turning yellowish.

shrubs 2-3 dm. Tall, leaves
slightly glaveous beneall,
fls. greenish white egrollates
white pinks outside paler with
style red wysleasently flagrant.
shrubs 2-3 dm. Tall flagrant.
seddish to greenish yellow.

- flowers magenty plants - flowers magenty plants - flow tright yellow 186 Vaginia 1917 Rhistoricadendron L

27 Prodophyllum poltatum scattered colonice

tribele of water beloth spring meddy magen of dichele of 32 Cares 33. Carex 34 Carex 35 Ranundeles moistroil 34 Carek somethy soil 38 Polygonatur Sifloren moint amounted and and

188 Virginia

1904

18137 Rannachez bulbosus

ornychundrat allores pastare
applacently not extenly one

40 Muphan

small colony in marshy
place in patture

Mountain Furnace,

Way 18, 1144

Us Myssa sylvatica Marsh.

Ravin often, near spring

Thin second growth woods, mainly valle, undergrowth of Vaccinium and other Evicades.

43 quereus

44 Vaccinium shaded

49 quereus prince l

Fred bryan yellow gary

petale yellow, thick furies pollow

tree & m. tall, lus, pales

tree 15 m. tall, 3 dm. throle new law, back blackrish, chocked leaves with an oily appearance. I heaves slightly glavious leaves slightly glavious verns impressed slow; fruit immediae somewhat glavious, sap on calys lobes.

The 3 m. hall, bank darle gray furnowed.

190 Virginio - Maryland 17111 18146 amelanchier canadensis (1) midis, 47 Rhododendin 48 Vaccinium stamineum L 119 Heracium verosum 50 Hedystis aculea(L.) Tr 7. scattered or in a mall tufts in april soil. 71 Carex Hill mountville, Catactin mis Twderick to May 18, 1941 along old road in desiduous con 52 Vitiz 53 adiantum pedatum L. 54 Lindera benjoin (L.)Bl. edge of woods 55 Lymphoricarpox edge of woods 50. Pantoun 54 alones falera Mistra. edge of woods 10 Chaitin rulgatum L

61 asclepiasquadrifoliq Jacq

Offening in woods

tree 4m. tall, back smooth dank head-gray, front immateries corollar frallen or dried and hanging stylered.

bush bolin. tall, corollar abnormal (dimages by insed.?)

flant with strong rdr.

Plant with strong rdr.

fls. lavende, fls spellow

fils. lavende, with sighter

slightly glaveous green in color

mondy vine, climbring on amaltree inflorence inflorence inflorence internessine internede.

should a mitall, anomatic when broker, fruit immature. Auch st 1.5 m, tall

small tree 4 m. tall, banks, mucilaginous when chewed.

commodite, corolly rose to with

192 margland

63 Rubus

64 Lazitraga verginiensis Bute

46 Cornus glorida L

67 Vaccinium

63 Fragaria verginiana Duch.

69 Viola

70 amemorella thalictroides (1.14)

71 Potentillo canadensis L.

72 Moura materia L.

73 Ranuncilus

74 Ranunculus

75 Potentilla

76 Disserver quaternata

77 Disacoregularinate ora ground

in glave

caner erect, elightly above of

comes evet, slightly arching above, flowers white. small try 5 m. Call. - haits mostly faller buch with green allens, 3. 4 dm. tall, llaves somewhere glancous aereall, fruite immature, stiglity - glaverie. larger prints not quite matein actions in petr in receptacle. terre flo fight violet, whiteel in center flo white lednes glinere - beneath. prominent, petalo yellow, - very stightly emarginate. tree 5 m. tall, leaves most rough - above when fresh, fruit immatters - poetale very small, greenich yellow.

Lower leaves wholed glaveous beneath, flaveous beneath,

1540

18178 Carex

79 Cours

30 Lmelax herbacer L

31 Caret

32 Celastrus scandens L.

23 tellis occidentalis L

34 hiegstynchium

Cherry Chare, near Williams Lane
May 30, 1911

varant lot, more or teas overgrown
with brush and amall trees.

85 Rubris

36 Rubus rigil Briley det 14 Bailey

Varginia Highlande sistington for cultivated tom May 15 mil

Mint rich wooded bottom land man

reclining on brushes

records vine climbinger bucker

amall ever 4 m. tall, fruit

immature, leaves this

spreading tuft, flicaverder

erect, old ones arching, the tips clongato trailing and rooting flower white and low arching flower white

event to 1 m. tall, floor petale exceeding salya, magentale united three darks lines inside three darks lines inside elongating after poller poller is shed

small colony all with small infl

196

131.37

algor words

90 Velis

open words

91 I milex herbaceas edge of words

92 Vicin age of woods.

waderdo, near ation

94 Carex

residuale near atram

195 galium aparine glad, in witgen

96 Cares m wet ground

97 Plantago sandy ground

woodside near stream

199 Aprecularia perfoliate at IX

errall lifts

flowers green.

flowers was fingle evet, avail-lumps

amall compact treft setome week, flower white toose spreading amalt

love clamps exect, flowers deep with



* SELECTION OF THE PROPERTY OF